Strain Gauge



Strain Gauge - Linear

GAGE PATTERN Actual size shown. Enlarged when necessary for definition. Unit: millimeter				GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
L1M-120M 1X 3X				Matrix Length: 4.40 Matrix Width: 2.40		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
0.38	0.56	1.90	0.56	L1M-120M-PC-XX	120	E,L,LE,PXX
L1N-120K 1X 2X				Matrix Length: 6.86 Matrix Width: 4.57		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
0.79	1.50	4.57	3.05	L1N-120K-PC-XX	120	E,L,LE,PXX
L1N-350M 1X 2X				Matrix Length: 6.86 Matrix Width: 4.57		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
0.79	1.50	4.57	3.05	L1N-350M-PC-XX	350	E,L,LE,PXX
L1B-350K 1X 5X				Matrix Length: 3.19 Matrix Width: 2.18		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
0.75	1.18	2.19	1.18	L1B-350K-PC-XX	350	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN	Actual size shown. Enlarged when necessary for definition. Unit: millimeter	GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE

L1BL-350K

1X

5X

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH
0.75	0.96	1.29	1.94

Matrix Length: 2.29
Matrix Width: 2.94

L1BL-350K-PC-XX	350	E,L,LE,PXX

L1BR-350K

1X

5X

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH
0.75	0.96	1.29	1.94

Matrix Length: 2.29
Matrix Width: 2.94

L1BR-350K-PC-XX	350	E,L,LE,PXX

L1G-120M

1X

2X

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH
1.52	3.05	5.59	3.05

Matrix Length: 7.87
Matrix Width: 4.83

L1G-120M-PC-XX	120	E,L,LE,PXX

L1G-350P

1X

2X

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH
1.52	3.05	5.59	3.05

Matrix Length: 7.87
Matrix Width: 4.83

L1G-350P-PC-XX	350	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN Actual size shown. Enlarged when necessary for definition. Unit: millimeter	GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE

L1D-350K

1X 5X

Matrix Length: 1.90
Matrix Width: 7.40

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
0.74	4.03	1.10	6.63	L1D-350K-PC-XX	350	E,L,LE,PXX

L1E-350K



1X 5X

Matrix Length: 1.90
Matrix Width: 6.50

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
0.74	4.03	1.10	5.90	L1E-350K-PC-XX	350	E,L,LE,PXX

L1HW-120



1X

Matrix Length: 10.00
Matrix Width: 41.40

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
1.00	0.20	8.00	39.40	L1HW-120-PC-XX	120	E,L,LE,PXX

L1-350

1X 4X

Matrix Length: 4.00
Matrix Width: 3.00

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
1.00	1.76	2.59	1.76	L1-350-PC-XX	350	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN	Actual size shown. Enlarged when necessary for definition. Unit: millimeter	GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE

L1L-350U

1X

3X

Matrix Length: 5.00
Matrix Width: 4.00

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
1.00	1.76	3.71	2.42	L1L-350U-PC-XX	350	E,L,LE,PXX

L1C-350K

1X


4X

Matrix Length: 4.05
Matrix Width: 2.79

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
1.28	1.79	3.05	1.79	L1C-350K-PC-XX	350	E,L,LE,PXX

L1CL-350K

1X

4X

Matrix Length:3.00
Matrix Width: 3.94

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
1.28	1.74	2.04	2.94	L1CL-350K-PC-XX	350	E,L,LE,PXX

L1CR-350K

1X

4X

Matrix Length: 3.00
Matrix Width: 3.94

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
1.28	1.74	2.04	2.94	L1CR-350K-PC-XX	350	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN Actual size shown. Enlarged when necessary for definition. Unit: millimeter				GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
L1B-1000M 1X  5X				Matrix Length: 3.20 Matrix Width: 3.50		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
1.30	3.10	2.87	3.10	L1B-1000M-PC-XX	1000	E,L,LE,PXX
LH16-2500G 1X  2X				Matrix Length: 8.80 Matrix Width: 7.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
1.40	1.60	7.79	6.00	LH16-2500G-PC-XX	2500	E,L,LE,PXX
LA1-120 1X 2X				Matrix Length: 10.00 Matrix Width: 5.78		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
1.54	1.78	9.00	4.78	LA1-120-PC-XX	120	E,L,LE,PXX
L1-120-ST 1X 2X				Matrix Length: 6.97 Matrix Width: 5.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
1.50	3.51	5.47	3.51	L1-120-ST-PC-XX	120	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN	Actual size shown. Enlarged when necessary for definition. Unit: millimeter	GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE

LH1-350

1X

2X

Matrix Length: 9.20
Matrix Width: 4.00

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
1.50	2.50	7.19	2.50	LH1-350-PC-XX	350	E,L,LE,PXX

L1-1000

1X

3X

Matrix Length: 5.12
Matrix Width: 7.67

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
1.50	6.07	3.98	6.07	L1-1000-PC-XX	1000	E,L,LE,PXX

L1A-1000

1X

3X

Matrix Length: 5.60
Matrix Width: 4.10

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
1.52	2.86	3.80	2.86	L1A-1000-PC-XX	1000	E,L,LE,PXX

LH1-1000Q

1X

2X

Matrix Length: 9.20
Matrix Width: 6.00

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
1.50	4.78	7.46	4.78	LH1-1000Q-PC-XX	1000	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN Actual size shown. Enlarged when necessary for definition. Unit: millimeter				GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
L1T-350 1X  3X				Matrix Length: 5.70 Matrix Width: 7.80		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
1.60	1.55	1.78	4.80	L1T-350-PC-XX	350	E,L,LE,PXX
L2-350 1X 3X				Matrix Length: 5.71 Matrix Width: 6.20		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
1.50	4.60	4.11	4.60	L2-350-PC-XX	350	E,L,LE,PXX
LH2-350 1X 1.5X				Matrix Length: 14.30 Matrix Width: 4.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
1.50	2.50	12.39	2.50	LH2-350-PC-XX	350	E,L,LE,PXX
LH2E-350N 1X				Matrix Length: 20.50 Matrix Width: 5.20		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
1.50	4.30	19.10	4.30	LH2E-350N-PC-XX	350	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN	Actual size shown. Enlarged when necessary for definition. Unit: millimeter	GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE

L2C-350K

1X

3X

Matrix Length: 6.35
Matrix Width: 6.35

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
1.52	4.57	4.55	4.57	L2C-350K-PC-XX	350	E,L,LE,PXX

L2E-350P

1X



4X

Matrix Length: 4.57
Matrix Width: 4.06

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
1.52	2.27	3.11	2.27	L2E-350P-PC-XX	350	E,L,LE,PXX

L2D-350M

1X

2X

Matrix Length: 7.10
Matrix Width:6.60

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
1.88	4.81	5.10	4.81	L2D-350M-PC-XX	350	E,L,LE,PXX

L2-120

1X

4X

Matrix Length: 4.96
Matrix Width: 2.74

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
2.00	1.14	3.36	1.14	L2-120-PC-XX	120	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN Actual size shown. Enlarged when necessary for definition. Unit: millimeter				GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
L2B-350 1X 3X				Matrix Length: 6.50 Matrix Width: 3.50		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
2.00	1.90	4.90	1.90	L2B-350-PC-XX	350	E,L,LE,PXX
L2S-350 1X 3X				Matrix Length: 6.90 Matrix Width: 3.30		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
2.00	2.20	4.75	2.20	L2S-350-PC-XX	350	E,L,LE,PXX
LH2B-350M 1X 1.5X				Matrix Length: 11.43 Matrix Width: 5.33		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
2.00	4.03	9.56	4.57	LH2B-350M-PC-XX	350	E,L,LE,PXX
LH2D-350N 1X				Matrix Length: 23.00 Matrix Width: 5.20		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
2.00	4.30	21.69	4.30	LH2D-350N-PC-XX	350	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN	Actual size shown. Enlarged when necessary for definition. Unit: millimeter	GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE

LH2C-350N

1X

Matrix Length: 15.50
Matrix Width:5.84

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
2.13	3.81	13.71	3.81	LH2C-350N-PC-XX	350	E,L,LE,PXX

L3I-350I

1X

3X

Matrix Length: 5.51
Matrix Width: 4.09

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
2.76	3.16	4.61	3.16	L3I-350I-PC-XX	350	E,L,LE,PXX

L3-1000

1X



3X

Matrix Length: 5.80
Matrix Width: 4.80

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
2.80	3.80	4.80	3.80	L3-1000-PC-XX	1000	E,L,LE,PXX

L3B-1000M

1X



3X

Matrix Length: 6.00
Matrix Width: 4.80

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
2.80	3.18	5.02	3.18	L3B-1000M-PC-XX	1000	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN Actual size shown. Enlarged when necessary for definition. Unit: millimeter				GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
L3-120-ST 1X 2X				Matrix Length: 8.74 Matrix Width: 5.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
3.00	3.50	7.24	3.50	L3-120-ST-PC-XX	120	E,L,LE,PXX
L3S-120 1X 3X				Matrix Length: 6.63 Matrix Width: 3.29		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
3.00	1.69	5.03	1.69	L3S-120-PC-XX	120	E,L,LE,PXX
L3-350 1X 2X				Matrix Length: 7.00 Matrix Width: 4.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
3.20	2.52	5.60	2.52	L3-350-PC-XX	350	E,L,LE,PXX
L3B-350 1X 2X				Matrix Length: 8.50 Matrix Width: 5.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
3.00	3.19	6.54	3.19	L3B-350-PC-XX	350	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN	Actual size shown. Enlarged when necessary for definition. Unit: millimeter	GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE

L3D-350

1X 2X

Matrix Length: 5.54
Matrix Width: 8.80

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
3.00	3.11	3.54	7.11	L3D-350-PC-XX	350	E,L,LE,PXX

L3E-350

1X 2X

Matrix Length: 8.80
Matrix Width: 5.54

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
3.00	3.11	7.54	3.11	L3E-350-PC-XX	350	E,L,LE,PXX

L3S-350

1X 3X

Matrix Length: 6.63
Matrix Width: 3.30

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
3.00	1.70	5.03	1.70	L3S-350-PC-XX	350	E,L,LE,PXX

L3SWB-350

1X 2X

Matrix Length: 9.53
Matrix Width: 6.20

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
3.00	1.70	5.03	1.70	L3SWB-350-PC-XX	350	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN Actual size shown. Enlarged when necessary for definition. Unit: millimeter				GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
LP3-5-350 1X				Matrix Length: 22.60 Matrix Width: 7.10		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
3.00	3.11	20.74	5.11	LP3-5-350-PC-XX	350	E,L,LE,PXX
LT3-5-350 1X				Matrix Length: 7.30 Matrix Width: 19.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
3.00	3.12	5.34	17.19	LT3-5-350-PC-XX	350	E,L,LE,PXX
LH3-350K 1X				Matrix Length: 20.00 Matrix Width: 4.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
3.00	2.51	18.49	2.51	LH3-350K-PC-XX	350	E,L,LE,PXX
L3CT-10-120 1X				Matrix Length: 42.50 Matrix Width: 11.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
3.10	2.65	40.34	8.65	L3CT-10-120-PC-XX	120	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN	Actual size shown. Enlarged when necessary for definition. Unit: millimeter	GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE

L3T-120

1X

2X

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH
3.20	4.49	8.38	4.49

Matrix Length: 10.60
Matrix Width: 6.80

L3T-120-PC-XX	120	E,L,LE,PXX

L3R-120K

1X

2X

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH
3.30	2.54	7.11	3.05

Matrix Length: 9.65
Matrix Width: 4.57

L3R-120K-PC-XX	120	E,L,LE,PXX

L3R-350N

1X

2X

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH
3.30	2.54	7.11	3.05

Matrix Length: 9.65
Matrix Width: 4.57

L3R-350N-PC-XX	350	E,L,LE,PXX

L3X-120K

1X

2X

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH
3.20	4.50	8.30	4.50

Matrix Length: 10.60
Matrix Width: 6.80

L3X-120K-PC-XX	120	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN	Actual size shown. Enlarged when necessary for definition. Unit: millimeter	GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE

L3X-350N

1X

2X

Matrix Length: 10.60
Matrix Width: 6.80

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
3.20	4.50	8.30	4.50	L3X-350N-PC-XX	350	E,L,LE,PXX

L3F-350M

1X

2X

Matrix Length: 7.50
Matrix Width: 4.60

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
3.20	3.19	6.00	3.19	L3F-350M-PC-XX	350	E,L,LE,PXX

L3L-350K

1X

2X

Matrix Length: 8.85
Matrix Width: 7.00

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
3.18	5.08	6.85	5.08	L3L-350K-PC-XX	350	E,L,LE,PXX

L3N-350

1X

3X

Matrix Length: 7.00
Matrix Width: 4.00

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
3.20	2.52	5.60	2.52	L3N-350-PC-XX	350	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN	Actual size shown. Enlarged when necessary for definition. Unit: millimeter	GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE

L3T-350

1X

2X

Matrix Length: 10.60
Matrix Width: 6.80

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
3.20	4.49	8.00	4.49	L3T-350-PC-XX	350	E,L,LE,PXX

LH3F-350M

1X

1.5X

Matrix Length: 15.46
Matrix Width: 4.80

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
3.20	3.19	13.87	3.19	LH3F-350M-PC-XX	350	E,L,LE,PXX

L4H-350K

1X



3X

Matrix Length: 7.66
Matrix Width: 4.20

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
1.40	2.51	5.96	2.51	L4H-350K-PC-XX	350	E,L,LE,PXX

L4-120

1X

2X

Matrix Length: 7.93
Matrix Width: 7.10

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
3.80	5.68	6.53	5.68	L4-120-PC-XX	120	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN Actual size shown. Enlarged when necessary for definition. Unit: millimeter				GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
L4-350K 1X 3X				Matrix Length: 7.40 Matrix Width: 4.10		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
3.80	1.70	6.20	3.10	L4-350K-PC-XX	350	E,L,LE,PXX
L4-60 1X 3X				Matrix Length: 7.30 Matrix Width: 3.49		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
4.00	2.49	6.30	2.49	L4-60-PC-XX	60	E,L,LE,PXX
L4B-120 1X 3X				Matrix Length: 6.23 Matrix Width: 0.75		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
4.00	0.59	5.63	0.75	L4B-120-PC-XX	120	E,L,LE,PXX
L5L-120I 1X 3X				Matrix Length: 9.78 Matrix Width: 5.19		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
4.25	3.19	7.78	3.19	L5L-120I-PC-XX	120	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN	Actual size shown. Enlarged when necessary for definition. Unit: millimeter	GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE

L5-120

1X


1.5X

Matrix Length: 12.90
Matrix Width: 6.90

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
5.00	4.21	9.46	4.21	L5-120-PC-XX	120	E,L,LE,PXX

L5L-350J

1X

2X

Matrix Length: 9.78
Matrix Width: 5.19

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
4.50	3.18	7.78	3.18	L5L-350J-PC-XX	350	E,L,LE,PXX

L5-350

1X

1.5X

Matrix Length: 12.90
Matrix Width: 6.90

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
5.00	4.20	9.20	5.00	L5-350-PC-XX	350	E,L,LE,PXX

L5S-350

1X

2X

Matrix Length: 10.30
Matrix Width: 3.80

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
5.00	2.70	7.81	2.70	L5S-350-PC-XX	350	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN Actual size shown. Enlarged when necessary for definition. Unit: millimeter				GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
L5B-120K 1X 1.5X				Matrix Length: 12.20 Matrix Width: 6.80		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
4.80	4.60	9.70	4.60	L5B-120K-PC-XX	120	E,L,LE,PXX
L5B-350M 1X 1.5X				Matrix Length: 12.20 Matrix Width: 6.80		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
4.80	4.60	9.70	4.60	L5B-350M-PC-XX	350	E,L,LE,PXX
L6-120-ST 1X 1.5X				Matrix Length: 12.08 Matrix Width: 5.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
6.00	3.49	10.58	3.49	L6-120-ST-PC-XX	120	E,L,LE,PXX
L6-350 1X 1.5X				Matrix Length: 14.40 Matrix Width: 9.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
6.30	6.30	10.50	6.30	L6-350-PC-XX	350	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN	Actual size shown. Enlarged when necessary for definition. Unit: millimeter	GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE

L6C-120K

1X

1.5X

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH
6.35	4.57	11.18	4.57

Matrix Length: 13.97
Matrix Width: 6.86

L6C-120K-PC-XX	120	E,L,LE,PXX

L6C-350M

1X

1.5X

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH
6.35	4.57	11.18	4.57

Matrix Length: 13.97
Matrix Width: 6.86

L6C-350M-PC-XX	350	E,L,LE,PXX

L6C-1000P

1X


1.5X

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH
6.35	4.57	11.18	4.57

Matrix Length: 13.97
Matrix Width: 6.86

L6C-1000P-PC-XX	1000	E,L,LE,PXX

L6D-120M

1X

1.5X

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH
6.35	3.05	10.41	3.05

Matrix Length: 11.94
Matrix Width: 5.08

L6D-120M-PC-XX	120	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN Actual size shown. Enlarged when necessary for definition. Unit: millimeter				GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
L6D-350P 1X 1.5X				Matrix Length: 11.94 Matrix Width: 5.08		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
6.35	3.05	10.41	3.05	L6D-350P-PC-XX	350	E,L,LE,PXX
L7-120 1X  1.5X				Matrix Length: 11.40 Matrix Width: 5.13		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
6.50	3.13	9.40	3.13	L7-120-PC-XX	120	E,L,LE,PXX
L7-350 1X  1.5X				Matrix Length: 11.40 Matrix Width: 5.13		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
6.50	3.13	9.40	3.13	L7-350-PC-XX	350	E,L,LE,PXX
L7-1000 1X  1.5X				Matrix Length: 11.82 Matrix Width: 5.60		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
7.00	3.60	9.82	3.60	L7-1000-PC-XX	1000	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN	Actual size shown. Enlarged when necessary for definition. Unit: millimeter	GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE

L8-120

1X


1.5X

Matrix Length: 14.24
Matrix Width: 6.42

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
8.13	3.92	11.74	3.92	L8-120-PC-XX	120	E,L,LE,PXX

L10-120

1X

Matrix Length: 17.70
Matrix Width: 8.00

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
10.00	4.90	14.90	4.92	L10-120-PC-XX	120	E,L,LE,PXX

L10-350

1X

Matrix Length: 17.70
Matrix Width: 8.00

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
10.00	4.90	14.90	4.92	L10-350-PC-XX	350	E,L,LE,PXX

L10B-350P

1X

Matrix Length: 17.00
Matrix Width: 7.00

GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
9.50	4.60	14.50	4.60	L10B-350P-PC-XX	350	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN Actual size shown. Enlarged when necessary for definition. Unit: millimeter				GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
L10-1000  1X				Matrix Length: 17.70 Matrix Width: 8.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
10.00	4.90	14.60	4.90	L10-1000-PC-XX	1000	E,L,LE,PXX
L13B-120M 1X				Matrix Length: 20.27 Matrix Width: 6.91		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
12.70	4.52	17.78	4.52	L13B-120M-PC-XX	120	E,L,LE,PXX
L13-350K  1X				Matrix Length: 22.70 Matrix Width: 10.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
13.00	7.20	20.05	7.20	L13-350K-PC-XX	350	E,L,LE,PXX
L13B-350P 1X				Matrix Length: 20.27 Matrix Width: 6.91		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
12.70	4.52	17.78	4.52	L13B-350P-PC-XX	350	E,L,LE,PXX

Strain Gauge - Linear

GAGE PATTERN	Actual size shown. Enlarged when necessary for definition.			GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE
			Unit: millimeter			
L30-350 1X				Matrix Length: 35.9 Matrix Width: 5.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
30.00	3.00	33.90	3.00	L30-350-PC-XX	350	E,L,LE,PXX
L50-120 1X				Matrix Length: 60.00 Matrix Width: 6.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH			
50.00	4.30	56.10	4.30	L50-120-PC-XX	120	E,L,LE,PXX