
















Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm</small>	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
L1M-120M <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  3X </div> </div>				Matrix Length: 4.40 Matrix Width: 2.40		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1M-120M-PC-XX	120	E,L,LE,PXX
0.38	0.56	1.90	0.56			
L1N-120K <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 6.86 Matrix Width: 4.57		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1N-120K-PC-XX	120	E,L,LE,PXX
0.79	1.50	4.57	3.05			
L1N-350M <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 6.86 Matrix Width: 4.57		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1N-350M-PC-XX	350	E,L,LE,PXX
0.79	1.50	4.57	3.05			
L1B-350K <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  5X </div> </div>				Matrix Length: 3.19 Matrix Width: 2.18		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1B-350K-PC-XX	350	E,L,LE,PXX
0.75	1.18	2.19	1.18			









Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm</small>	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE
Unit: millimeter						
L1BL-350K <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> 1X </div> <div style="text-align: center;"> 5X </div> </div>				Matrix Length: 2.29 Matrix Width: 2.94		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1BL-350K-PC-XX	350	E,L,LE,PXX
0.75	0.96	1.29	1.94			
L1BR-350K <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> 1X </div> <div style="text-align: center;"> 5X </div> </div>				Matrix Length: 2.29 Matrix Width: 2.94		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1BR-350K-PC-XX	350	E,L,LE,PXX
0.75	0.96	1.29	1.94			
L1G-120M <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> 1X </div> <div style="text-align: center;"> 2X </div> </div>				Matrix Length: 7.87 Matrix Width: 4.83		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1G-120M-PC-XX	120	E,L,LE,PXX
1.52	3.05	5.59	3.05			
L1G-350P <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> 1X </div> <div style="text-align: center;"> 2X </div> </div>				Matrix Length: 7.87 Matrix Width: 4.83		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1G-350P-PC-XX	350	E,L,LE,PXX
1.52	3.05	5.59	3.05			









Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm</small>	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
L1D-350K <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  5X </div> </div>				Matrix Length: 1.90 Matrix Width: 7.40		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1D-350K-PC-XX	350	E,L,LE,PXX
0.74	4.03	1.10	6.63			
L1E-350K <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  5X </div> </div>				Matrix Length: 1.90 Matrix Width: 6.50		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1E-350K-PC-XX	350	E,L,LE,PXX
0.74	4.03	1.10	5.90			
L1HW-120 <div style="text-align: center;">  1X </div>				Matrix Length: 10.00 Matrix Width: 41.40		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1HW-120-PC-XX	120	E,L,LE,PXX
1.00	0.20	8.00	39.40			
L1-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  4X </div> </div>				Matrix Length: 4.00 Matrix Width: 3.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1-350-PC-XX	350	E,L,LE,PXX
1.00	1.76	2.59	1.76			









Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm</small>	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE
Unit: millimeter						
L1L-350U <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  3X </div> </div>				Matrix Length: 5.00 Matrix Width: 4.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1L-350U-PC-XX	350	E,L,LE,PXX
1.00	1.76	3.71	2.42			
L1C-350K <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  4X </div> </div>				Matrix Length: 4.05 Matrix Width: 2.79		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1C-350K-PC-XX	350	E,L,LE,PXX
1.28	1.79	3.05	1.79			
L1CL-350K <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  4X </div> </div>				Matrix Length: 3.00 Matrix Width: 3.94		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1CL-350K-PC-XX	350	E,L,LE,PXX
1.28	1.74	2.04	2.94			
L1CR-350K <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  4X </div> </div>				Matrix Length: 3.00 Matrix Width: 3.94		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1CR-350K-PC-XX	350	E,L,LE,PXX
1.28	1.74	2.04	2.94			








Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm</small>	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
L1B-1000M <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  5X </div> </div>				Matrix Length: 3.20 Matrix Width: 3.50		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1B-1000M-PC-XX	1000	E,L,LE,PXX
1.30	3.10	2.87	3.10			
LH16-2500G <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 8.80 Matrix Width: 7.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	LH16-2500G-PC-XX	2500	E,L,LE,PXX
1.40	1.60	7.79	6.00			
LA1-120 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 10.00 Matrix Width: 5.78		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	LA1-120-PC-XX	120	E,L,LE,PXX
1.54	1.78	9.00	4.78			
L1-120-ST <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 6.97 Matrix Width: 5.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1-120-ST-PC-XX	120	E,L,LE,PXX
1.50	3.51	5.47	3.51			









Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm</small>	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
LH1-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 9.20 Matrix Width: 4.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	LH1-350-PC-XX	350	E,L,LE,PXX
1.50	2.50	7.19	2.50			
L1-1000 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  3X </div> </div>				Matrix Length: 5.12 Matrix Width: 7.67		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1-1000-PC-XX	1000	E,L,LE,PXX
1.50	6.07	3.98	6.07			
L1A-1000 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  3X </div> </div>				Matrix Length: 5.60 Matrix Width: 4.10		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1A-1000-PC-XX	1000	E,L,LE,PXX
1.52	2.86	3.80	2.86			
LH1-1000Q <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 9.20 Matrix Width: 6.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	LH1-1000Q-PC-XX	1000	E,L,LE,PXX
1.50	4.78	7.46	4.78			








Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
Unit: millimeter						
L1T-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  3X </div> </div>				Matrix Length: 5.70 Matrix Width: 7.80		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1T-350-PC-XX	350	E,L,LE,PXX
1.60	1.55	1.78	4.80			
L2-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  3X </div> </div>				Matrix Length: 5.71 Matrix Width: 6.20		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L2-350-PC-XX	350	E,L,LE,PXX
1.50	4.60	4.11	4.60			
LH2-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 14.30 Matrix Width: 4.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	LH2-350-PC-XX	350	E,L,LE,PXX
1.50	2.50	12.39	2.50			
LH2E-350N <div style="text-align: center;">  1X </div>				Matrix Length: 20.50 Matrix Width: 5.20		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	LH2E-350N-PC-XX	350	E,L,LE,PXX
1.50	4.30	19.10	4.30			








Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm</small>	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
L2C-350K <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  3X </div> </div>				Matrix Length: 6.35 Matrix Width: 6.35		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L2C-350K-PC-XX	350	E,L,LE,PXX
1.52	4.57	4.55	4.57			
L2E-350P <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  4X </div> </div>				Matrix Length: 4.57 Matrix Width: 4.06		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L2E-350P-PC-XX	350	E,L,LE,PXX
1.52	2.27	3.11	2.27			
L2D-350M <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 7.10 Matrix Width: 6.60		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L2D-350M-PC-XX	350	E,L,LE,PXX
1.88	4.81	5.10	4.81			
L2-120 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  4X </div> </div>				Matrix Length: 4.96 Matrix Width: 2.74		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L2-120-PC-XX	120	E,L,LE,PXX
2.00	1.14	3.36	1.14			









Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm</small>	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
L2B-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  3X </div> </div>				Matrix Length: 6.50 Matrix Width: 3.50		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L2B-350-PC-XX	350	E,L,LE,PXX
2.00	1.90	4.90	1.90			
L2S-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  3X </div> </div>				Matrix Length: 6.90 Matrix Width: 3.30		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L2S-350-PC-XX	350	E,L,LE,PXX
2.00	2.20	4.75	2.20			
LH2B-350M <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 11.43 Matrix Width: 5.33		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	LH2B-350M-PC-XX	350	E,L,LE,PXX
2.00	4.03	9.56	4.57			
LH2D-350N <div style="text-align: center;">  1X </div>				Matrix Length: 23.00 Matrix Width: 5.20		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	LH2D-350N-PC-XX	350	E,L,LE,PXX
2.00	4.30	21.69	4.30			









Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm</small>	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE	
Unit: millimeter							
LH2C-350N <div style="text-align: center;">  1X </div>				Matrix Length: 15.50 Matrix Width: 5.84			
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	LH2C-350N-PC-XX	350	E,L,LE,PXX	
2.13	3.81	13.71	3.81				
L3I-350I <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  3X </div> </div>				Matrix Length: 5.51 Matrix Width: 4.09			
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3I-350I-PC-XX	350	E,L,LE,PXX	
2.76	3.16	4.61	3.16				
L3-1000 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  3X </div> </div>				Matrix Length: 5.80 Matrix Width: 4.80			
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3-1000-PC-XX	1000	E,L,LE,PXX	
2.80	3.80	4.80	3.80				
L3B-1000M <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  3X </div> </div>				Matrix Length: 6.00 Matrix Width: 4.80			
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3B-1000M-PC-XX	1000	E,L,LE,PXX	
2.80	3.18	5.02	3.18				





Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
L3-120-ST <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 8.74 Matrix Width: 5.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3-120-ST-PC-XX	120	E,L,LE,PXX
3.00	3.50	7.24	3.50			
L3S-120 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  3X </div> </div>				Matrix Length: 6.63 Matrix Width: 3.29		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3S-120-PC-XX	120	E,L,LE,PXX
3.00	1.69	5.03	1.69			
L3-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 7.00 Matrix Width: 4.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3-350-PC-XX	350	E,L,LE,PXX
3.20	2.52	5.60	2.52			
L3B-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 8.50 Matrix Width: 5.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3B-350-PC-XX	350	E,L,LE,PXX
3.00	3.19	6.54	3.19			









Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm</small>	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
L3D-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 5.54 Matrix Width: 8.80		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3D-350-PC-XX	350	E,L,LE,PXX
3.00	3.11	3.54	7.11			
L3E-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 8.80 Matrix Width: 5.54		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3E-350-PC-XX	350	E,L,LE,PXX
3.00	3.11	7.54	3.11			
L3S-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  3X </div> </div>				Matrix Length: 6.63 Matrix Width: 3.30		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3S-350-PC-XX	350	E,L,LE,PXX
3.00	1.70	5.03	1.70			
L3SWB-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 9.53 Matrix Width: 6.20		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3SWB-350-PC-XX	350	E,L,LE,PXX
3.00	1.70	5.03	1.70			









Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm</small>	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
LP3-5-350  1X				Matrix Length: 22.60 Matrix Width: 7.10		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	LP3-5-350-PC-XX	350	E,L,LE,PXX
3.00	3.11	20.74	5.11			
LT3-5-350  1X				Matrix Length: 7.30 Matrix Width: 19.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	LT3-5-350-PC-XX	350	E,L,LE,PXX
3.00	3.12	5.34	17.19			
LH3-350K  1X				Matrix Length: 20.00 Matrix Width: 4.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	LH3-350K-PC-XX	350	E,L,LE,PXX
3.00	2.51	18.49	2.51			
L3CT-10-120  1X				Matrix Length: 42.50 Matrix Width: 11.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3CT-10-120-PC-XX	120	E,L,LE,PXX
3.10	2.65	40.34	8.65			









Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm</small>	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
L3T-120 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 10.60 Matrix Width: 6.80		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3T-120-PC-XX	120	E,L,LE,PXX
3.20	4.49	8.38	4.49			
L3R-120K <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 9.65 Matrix Width: 4.57		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3R-120K-PC-XX	120	E,L,LE,PXX
3.30	2.54	7.11	3.05			
L3R-350N <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 9.65 Matrix Width: 4.57		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3R-350N-PC-XX	350	E,L,LE,PXX
3.30	2.54	7.11	3.05			
L3X-120K <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 10.60 Matrix Width: 6.80		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3X-120K-PC-XX	120	E,L,LE,PXX
3.20	4.50	8.30	4.50			









Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
Unit: millimeter						
L3X-350N <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 10.60 Matrix Width: 6.80		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3X-350N-PC-XX	350	E,L,LE,PXX
3.20	4.50	8.30	4.50			
L3F-350M <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 7.50 Matrix Width: 4.60		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3F-350M-PC-XX	350	E,L,LE,PXX
3.20	3.19	6.00	3.19			
L3L-350K <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 8.85 Matrix Width: 7.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3L-350K-PC-XX	350	E,L,LE,PXX
3.18	5.08	6.85	5.08			
L3N-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  3X </div> </div>				Matrix Length: 7.00 Matrix Width: 4.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3N-350-PC-XX	350	E,L,LE,PXX
3.20	2.52	5.60	2.52			









Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm</small>	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
L3T-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 10.60 Matrix Width: 6.80		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3T-350-PC-XX	350	E,L,LE,PXX
3.20	4.49	8.00	4.49			
LH3F-350M <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 15.46 Matrix Width: 4.80		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	LH3F-350M-PC-XX	350	E,L,LE,PXX
3.20	3.19	13.87	3.19			
L4H-350K <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  3X </div> </div>				Matrix Length: 7.66 Matrix Width: 4.20		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L4H-350K-PC-XX	350	E,L,LE,PXX
1.40	2.51	5.96	2.51			
L4-120 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 7.93 Matrix Width: 7.10		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L4-120-PC-XX	120	E,L,LE,PXX
3.80	5.68	6.53	5.68			









Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
Unit: millimeter						
L4-350K <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  3X </div> </div>				Matrix Length: 7.40 Matrix Width: 4.10		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L4-350K-PC-XX	350	E,L,LE,PXX
3.80	1.70	6.20	3.10			
L4-60 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  3X </div> </div>				Matrix Length: 7.30 Matrix Width: 3.49		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L4-60-PC-XX	60	E,L,LE,PXX
4.00	2.49	6.30	2.49			
L4B-120 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  3X </div> </div>				Matrix Length: 6.23 Matrix Width: 0.75		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L4B-120-PC-XX	120	E,L,LE,PXX
4.00	0.59	5.63	0.75			
L5L-120I <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  3X </div> </div>				Matrix Length: 9.78 Matrix Width: 5.19		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L5L-120I-PC-XX	120	E,L,LE,PXX
4.25	3.19	7.78	3.19			









Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm</small>	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE
Unit: millimeter						
L5-120 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 12.90 Matrix Width: 6.90		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L5-120-PC-XX	120	E,L,LE,PXX
5.00	4.21	9.46	4.21			
L5L-350J <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 9.78 Matrix Width: 5.19		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L5L-350J-PC-XX	350	E,L,LE,PXX
4.50	3.18	7.78	3.18			
L5-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 12.90 Matrix Width: 6.90		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L5-350-PC-XX	350	E,L,LE,PXX
5.00	4.20	9.20	5.00			
L5S-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 10.30 Matrix Width: 3.80		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L5S-350-PC-XX	350	E,L,LE,PXX
5.00	2.70	7.81	2.70			









Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm</small>	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
L5B-120K <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 12.20 Matrix Width: 6.80		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L5B-120K-PC-XX	120	E,L,LE,PXX
4.80	4.60	9.70	4.60			
L5B-350M <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 12.20 Matrix Width: 6.80		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L5B-350M-PC-XX	350	E,L,LE,PXX
4.80	4.60	9.70	4.60			
L6-120-ST <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 12.08 Matrix Width: 5.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L6-120-ST-PC-XX	120	E,L,LE,PXX
6.00	3.49	10.58	3.49			
L6-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 14.40 Matrix Width: 9.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L6-350-PC-XX	350	E,L,LE,PXX
6.30	6.30	10.50	6.30			






Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm</small>	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
L6C-120K <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 13.97 Matrix Width: 6.86		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L6C-120K-PC-XX	120	E,L,LE,PXX
6.35	4.57	11.18	4.57			
L6C-350M <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 13.97 Matrix Width: 6.86		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L6C-350M-PC-XX	350	E,L,LE,PXX
6.35	4.57	11.18	4.57			
L6C-1000P <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 13.97 Matrix Width: 6.86		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L6C-1000P-PC-XX	1000	E,L,LE,PXX
6.35	4.57	11.18	4.57			
L6D-120M <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 11.94 Matrix Width: 5.08		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L6D-120M-PC-XX	120	E,L,LE,PXX
6.35	3.05	10.41	3.05			





Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm</small>	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
L6D-350P <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 11.94 Matrix Width: 5.08		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L6D-350P-PC-XX	350	E,L,LE,PXX
6.35	3.05	10.41	3.05			
L7-120 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 11.40 Matrix Width: 5.13		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L7-120-PC-XX	120	E,L,LE,PXX
6.50	3.13	9.40	3.13			
L7-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 11.40 Matrix Width: 5.13		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L7-350-PC-XX	350	E,L,LE,PXX
6.50	3.13	9.40	3.13			
L7-1000 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 11.82 Matrix Width: 5.60		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L7-1000-PC-XX	1000	E,L,LE,PXX
7.00	3.60	9.82	3.60			



Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm</small>	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE
Unit: millimeter						
L8-120 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 14.24 Matrix Width: 6.42		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L8-120-PC-XX	120	E,L,LE,PXX
8.13	3.92	11.74	3.92			
L10-120 <div style="text-align: center;">  1X </div>				Matrix Length: 17.70 Matrix Width: 8.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L10-120-PC-XX	120	E,L,LE,PXX
10.00	4.90	14.90	4.92			
L10-350 <div style="text-align: center;">  1X </div>				Matrix Length: 17.70 Matrix Width: 8.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L10-350-PC-XX	350	E,L,LE,PXX
10.00	4.90	14.90	4.92			
L10B-350P <div style="text-align: center;">  1X </div>				Matrix Length: 17.00 Matrix Width: 7.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L10B-350P-PC-XX	350	E,L,LE,PXX
9.50	4.60	14.50	4.60			


Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm</small>	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
L10-1000  1X				Matrix Length: 17.70 Matrix Width: 8.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L10-1000-PC-XX	1000	E,L,LE,PXX
10.00	4.90	14.60	4.90			
L13B-120M  1X				Matrix Length: 20.27 Matrix Width: 6.91		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L13B-120M-PC-XX	120	E,L,LE,PXX
12.70	4.52	17.78	4.52			
L13-350K  1X				Matrix Length: 22.70 Matrix Width: 10.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L13-350K-PC-XX	350	E,L,LE,PXX
13.00	7.20	20.05	7.20			
L13B-350P  1X				Matrix Length: 20.27 Matrix Width: 6.91		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L13B-350P-PC-XX	350	E,L,LE,PXX
12.70	4.52	17.78	4.52			









Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm</small>	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE
Unit: millimeter						
L30-350 <div style="text-align: center;">  1X </div>				Matrix Length: 35.9 Matrix Width: 5.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L30-350-PC-XX	350	E,L,LE,PXX
30.00	3.00	33.90	3.00			
L50-120 <div style="text-align: center;">  1X </div>				Matrix Length: 60.00 Matrix Width: 6.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L50-120-PC-XX	120	E,L,LE,PXX
50.00	4.30	56.10	4.30			









Strain Gauge Copper on Constantan











Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm</small>	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
L1D-K350P <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  3X </div> </div>				Matrix Length: 5.50 Matrix Width: 4.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1D-K350P-PC-XX	350	E,L,LE,PXX
1.50	2.50	4.30	2.50			
L1E-K350T <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  3X </div> </div>				Matrix Length: 6.00 Matrix Width: 6.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1E-K350T -PC-XX	350	E,L,LE,PXX
1.50	4.50	4.80	4.50			
L1F-K350M <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  4X </div> </div>				Matrix Length: 4.80 Matrix Width: 3.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1F-K350M-PC-XX	350	E,L,LE,PXX
1.60	1.60	3.50	1.60			
L2D-K350H <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 7.10 Matrix Width: 6.60		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L2D-K350H-PC-XX	350	E,L,LE,PXX
1.88	4.81	5.10	4.81			








Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm</small>	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
L2G-K1000M <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 9.00 Matrix Width: 7.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L2G-K1000M-PC-XX	1000	E,L,LE,PXX
2.30	3.20	2.90	6.40			
L3A-K350U <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 7.50 Matrix Width: 4.60		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3A-K350U-PC-XX	350	E,L,LE,PXX
3.20	3.20	6.50	3.20			
L3B-K350S <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 4.00 Matrix Width: 7.20		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3B-K350S -PC-XX	350	E,L,LE,PXX
3.20	2.50	6.20	2.50			
L3C-K350T <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 8.30 Matrix Width: 4.60		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3C-K350T -PC-XX	350	E,L,LE,PXX
3.20	3.10	7.40	3.10			









Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm</small>	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
L3D-K350P				Matrix Length: 8.50 Matrix Width: 3.50		
 1X  2X						
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3D-K350P -PC-XX		
2.80	2.10	7.50	2.10			
L3E-K350W				Matrix Length: 7.00 Matrix Width: 3.00		
 1X  3X						
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3E-K350W-PC-XX		
3.20	1.50	6.00	2.00			
L3P-K1000R				Matrix Length: 5.60 Matrix Width: 1.60		
 1X  3X						
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3P-K1000R-PC-XX		
3.20	3.20	7.30	1.60			
L3R-K350M				Matrix Length: 10.00 Matrix Width: 5.50		
 1X  2X						
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L3R-K350M-PC-XX		
3.20	3.20	6.50	3.20			

Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm</small>	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
LH1A-K350T <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 9.20 Matrix Width: 4.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	LH1A-K350T-PC-XX	350	E,L,LE,PXX
1.50	2.50	8.00	2.50			
LH1B-K350T <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 9.30 Matrix Width: 6.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	LH1B-K350T -PC-XX	350	E,L,LE,PXX
1.50	4.50	8.30	4.50			
LH1C-K350T <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 14.40 Matrix Width: 4.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	LH1C-K350T-PC-XX	350	E,L,LE,PXX
1.50	2.50	13.00	2.50			
LH3B-K350F <div style="text-align: center;">  1X </div>				Matrix Length: 16.00 Matrix Width: 5.33		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	LH3B-K350F-PC-XX	350	E,L,LE,PXX
2.79	3.79	14.22	3.79			

Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm</small>	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
L6A-K350U				Matrix Length: 11.00 Matrix Width: 4.70		
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>						
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L6A-K350U-PC-XX 350 E,L,LE,PXX		
6.30	3.20	10.00	3.20			
L6A-K1000U				Matrix Length: 11.00 Matrix Width: 4.70		
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>						
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L6A-K1000U-PC-XX 1000 E,L,LE,PXX		
6.30	3.20	9.60	3.20			
L6B-K350U				Matrix Length: 11.30 Matrix Width: 6.00		
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>						
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L6B-K350U-PC-XX 350 E,L,LE,PXX		
6.30	4.40	10.30	4.40			
L6B-K1000U				Matrix Length: 11.30 Matrix Width: 6.00		
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>						
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L6B-K1000U-PC-XX 1000 E,L,LE,PXX		
6.30	4.40	9.90	4.40			