

















Strain Gauge - Full Bridge Diaphragm

| GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small> | | | | GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm</small> | RES.IN OHMS | LEAD WIRES OPTIONS AVAILABLE |
|---|-----------------------|---------------------------|--------------------------|--|------------------------|---|
| <small>Unit: millimeter</small> | | | | | | |
| FB2EB-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div> | | | | Matrix Length: 8.00 Matrix Width: 6.30 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | FB2EB-350-PC-XX | 350 | E,L,LE,PXX |
| 1.20 | 1.52 | 7.00 | 5.73 | | | |
| F2-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div> | | | | Matrix Length: 11.40 Matrix Width: 18.60 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | F2-350-PC-XX | 350 | E,L,LE,PXX |
| 1.50 | 4.60 | 10.80 | 15.80 | | | |
| FB2C-350M <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div> | | | | Matrix Length: 14.50 Matrix Width: 7.50 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | FB2C-350M-PC-XX | 350 | E,L,LE,PXX |
| 1.90 | 2.50 | 13.00 | 6.10 | | | |
| FB2D-1000 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div> | | | | Matrix Length: 8.00 Matrix Width: 6.50 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | FB2D-1000-PC-XX | 1000 | E,L,LE,PXX |
| 1.80 | 2.41 | 7.00 | 5.20 | | | |







Strain Gauge - Full Bridge Diaphragm

| GAGE PATTERN Actual size shown. Enlarged when necessary for definition. | | | | GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm | RES.IN OHMS | ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE |
|---|-------------------|-----------------------|----------------------|--|------------------------|---|
| Unit: millimeter | | | | | | |
| FB2E-350  1X  2X | | | | Matrix Length: 10.00 Matrix Width: 9.00 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | FB2E-350-PC-XX | 350 | E,L,LE,PXX |
| 1.80 | 1.99 | 8.74 | 7.79 | | | |
| FB2B-350  1X  2X | | | | Matrix Length: 9.20 Matrix Width: 7.80 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | FB2B-350-PC-XX | 350 | E,L,LE,PXX |
| 1.90 | 2.50 | 8.09 | 6.22 | | | |
| FB2G-350K  1X  2X | | | | Matrix Length: 9.00 Matrix Width: 8.00 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | FB2G-350K-PC-XX | 350 | E,L,LE,PXX |
| 1.90 | 2.35 | 7.80 | 6.27 | | | |
| FB2F-350K  1X  2X | | | | Matrix Length: 9.00 Matrix Width: 8.00 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | FB2F-350K-PC-XX | 350 | E,L,LE,PXX |
| 1.90 | 2.37 | 7.80 | 6.60 | | | |






Strain Gauge - Full Bridge Diaphragm

| GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small> | | | | GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm</small> | RES.IN OHMS | LEAD WIRES OPTIONS AVAILABLE |
|---|-----------------------|---------------------------|--------------------------|--|------------------------|---|
| <small>Unit: millimeter</small> | | | | | | |
| FB2J-350M <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> 1X </div> <div style="text-align: center;"> 1.5X </div> </div> | | | | Matrix Length: 12.50 Matrix Width: 20.00 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | FB2J-350M-PC-XX | 350 | E,L,LE,PXX |
| 2.00 | 2.00 | 7.22 | 16.29 | | | |
| F2-1000 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> 1X </div> <div style="text-align: center;"> 1.5X </div> </div> | | | | Matrix Length: 13.40 Matrix Width: 18.60 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | F2-1000-PC-XX | 1000 | E,L,LE,PXX |
| 2.60 | 4.60 | 12.80 | 15.80 | | | |
| FB3AEP-350K <div style="text-align: center;"> 1X </div> | | | | Matrix Length: 33.50 Matrix Width: 9.10 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | FB3AEP-350K-PC-XX | 350 | E,L,LE,PXX |
| 2.50 | 2.57 | 31.48 | 7.50 | | | |
| FB3B-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> 1X </div> <div style="text-align: center;"> 1.5X </div> </div> | | | | Matrix Length: 12.00 Matrix Width: 9.00 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | FB3B-350-PC-XX | 350 | E,L,LE,PXX |
| 2.70 | 2.98 | 10.70 | 7.80 | | | |





Strain Gauge - Full Bridge Diaphragm

| GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small> | | | | GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm</small> | RES.IN OHMS | ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE |
|--|-----------------------|---------------------------|--------------------------|--|------------------------|---|
| <small>Unit: millimeter</small> | | | | | | |
| FB3-700 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div> | | | | Matrix Length: 9.80 Matrix Width: 8.20 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | FB3-700-PC-XX | 700 | E,L,LE,PXX |
| 1.89 | 3.37 | 8.80 | 7.20 | | | |
| FB3-1000 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div> | | | | Matrix Length: 12.00 Matrix Width: 9.00 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | FB3-1000-PC-XX | 1000 | E,L,LE,PXX |
| 2.97 | 2.91 | 10.70 | 7.64 | | | |
| F3-350 <div style="text-align: center;">  1X </div> | | | | Matrix Length: 20.70 Matrix Width: 11.10 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | F3-350-PC-XX | 350 | E,L,LE,PXX |
| 3.00 | 2.58 | 18.70 | 9.10 | | | |
| FB3C-1000 <div style="text-align: center;">  1X </div> | | | | Matrix Length: 28.00 Matrix Width: 4.90 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | FB3C-1000-PC-XX | 1000 | E,L,LE,PXX |
| 3.00 | 1.64 | 26.29 | 3.80 | | | |




Strain Gauge - Full Bridge Diaphragm

| GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small> | | | | GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm</small> | RES.IN OHMS | LEAD WIRES OPTIONS AVAILABLE |
|--|-----------------------|---------------------------|--------------------------|--|------------------------|---|
| <small>Unit: millimeter</small> | | | | | | |
| FB3-500  1X | | | | Matrix Length: 19.00 Matrix Width: 14.00 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | FB3-500-PC-XX | 500 | E,L,LE,PXX |
| 3.00 | 3.48 | 17.00 | 12.50 | | | |
| F4-350  1X  1.5X | | | | Matrix Length: 10.00 Matrix Width: 11.50 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | F4-350-PC-XX | 350 | E,L,LE,PXX |
| 4.20 | 1.80 | 8.60 | 10.50 | | | |
| FB4-1000  1X | | | | Matrix Length: 14.80 Matrix Width: 11.12 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | FB4-1000-PC-XX | 1000 | E,L,LE,PXX |
| 4.00 | 4.25 | 13.56 | 10.50 | | | |
| F5-2000  1X | | | | Matrix Length: 16.75 Matrix Width: 12.58 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | F5-2000-PC-XX | 2000 | E,L,LE,PXX |
| 4.92 | 4.92 | 15.55 | 12.12 | | | |

Strain Gauge - Full Bridge Diaphragm

| GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small> | | | | GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm</small> | RES.IN OHMS | ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE |
|--|-----------------------|---------------------------|--------------------------|--|------------------------|---|
| <small>Unit: millimeter</small> | | | | | | |
| FSW3-1000  <div style="text-align: center;">1X</div> | | | | Matrix Length: 14.50 Matrix Width: 25.25 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | FSW3-1000-PC-XX | 1000 | E,L,LE,PXX |
| 6.20 | 1.78 | 11.62 | 23.45 | | | |
| FB6-5000  <div style="text-align: center;">1X</div> | | | | Matrix Length: 46.00 Matrix Width: 20.00 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | FB6-5000-PC-XX | 5000 | E,L,LE,PXX |
| 6.50 | 7.21 | 44.00 | 18.09 | | | |
| FB8-2500K  <div style="display: flex; justify-content: space-around; width: 100%;"> 1X 2X </div> | | | | Matrix Length: 13.40 Matrix Width: 8.20 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | FB8-2500K-PC-XX | 2500 | E,L,LE,PXX |
| 1.30 | 5.99 | 12.60 | 7.39 | | | |
| FB10-350M  <div style="display: flex; justify-content: space-around; width: 100%;"> 1X 2X </div> | | | | Matrix Length: 12.00 Matrix Width: 9.20 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | FB10-350M-PC-XX | 350 | E,L,LE,PXX |
| 1.10 | 1.73 | 8.70 | 11.00 | | | |

Strain Gauge - Full Bridge Diaphragm

| GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small> | | | | GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm</small> | RES.IN OHMS | LEAD WIRES OPTIONS AVAILABLE |
|---|-----------------------|---------------------------|--------------------------|--|------------------------|---|
| Unit: millimeter | | | | | | |
| FB11-500M <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div> | | | | Matrix Length: 12.00 Matrix Width: 9.70 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | FB11-500M-PC-XX | 500 | E,L,LE,PXX |
| 1.35 | 1.81 | 8.69 | 11.00 | | | |
| FB36-350M <div style="text-align: center;">  1X </div> | | | | Matrix Length: 36.00 Matrix Width: 10.16 | | |
| GAGE LENGTH | GRID WIDTH | OVERALL LENGTH | OVERALL WIDTH | FB36-350M-PC-XX | 350 | E,L,LE,PXX |
| 1.70 | 1.53 | 3.40 | 8.78 | | | |