
























Strain Gauge - Full Bridge Diaphragm

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm</small>	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
FB2EB-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 8.00 Matrix Width: 6.30		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	FB2EB-350-PC-XX	350	E,L,LE,PXX
1.20	1.52	7.00	5.73			
F2-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 11.40 Matrix Width: 18.60		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	F2-350-PC-XX	350	E,L,LE,PXX
1.50	4.60	10.80	15.80			
FB2C-350M <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 14.50 Matrix Width: 7.50		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	FB2C-350M-PC-XX	350	E,L,LE,PXX
1.90	2.50	13.00	6.10			
FB2D-1000 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 8.00 Matrix Width: 6.50		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	FB2D-1000-PC-XX	1000	E,L,LE,PXX
1.80	2.41	7.00	5.20			







Strain Gauge - Full Bridge Diaphragm

GAGE PATTERN				GAGE DESIGNATION Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
Actual size shown. Enlarged when necessary for definition.						
Unit: millimeter						
FB2E-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 10.00 Matrix Width: 9.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	FB2E-350-PC-XX	350	E,L,LE,PXX
1.80	1.99	8.74	7.79			
FB2B-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 9.20 Matrix Width: 7.80		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	FB2B-350-PC-XX	350	E,L,LE,PXX
1.90	2.50	8.09	6.22			
FB2G-350K <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 9.00 Matrix Width: 8.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	FB2G-350K-PC-XX	350	E,L,LE,PXX
1.90	2.35	7.80	6.27			
FB2F-350K <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 9.00 Matrix Width: 8.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	FB2F-350K-PC-XX	350	E,L,LE,PXX
1.90	2.37	7.80	6.60			





Strain Gauge - Full Bridge Diaphragm

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm</small>	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
FB2J-350M <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 12.50 Matrix Width: 20.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	FB2J-350M-PC-XX	350	E,L,LE,PXX
2.00	2.00	7.22	16.29			
F2-1000 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 13.40 Matrix Width: 18.60		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	F2-1000-PC-XX	1000	E,L,LE,PXX
2.60	4.60	12.80	15.80			
FB3AEP-350K <div style="text-align: center;">  1X </div>				Matrix Length: 33.50 Matrix Width: 9.10		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	FB3AEP-350K-PC-XX	350	E,L,LE,PXX
2.50	2.57	31.48	7.50			
FB3B-350 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 12.00 Matrix Width: 9.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	FB3B-350-PC-XX	350	E,L,LE,PXX
2.70	2.98	10.70	7.80			





Strain Gauge - Full Bridge Diaphragm

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm</small>	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
FB3-700 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 9.80 Matrix Width: 8.20		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	FB3-700-PC-XX	700	E,L,LE,PXX
1.89	3.37	8.80	7.20			
FB3-1000 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  1.5X </div> </div>				Matrix Length: 12.00 Matrix Width: 9.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	FB3-1000-PC-XX	1000	E,L,LE,PXX
2.97	2.91	10.70	7.64			
F3-350 <div style="text-align: center;">  1X </div>				Matrix Length: 20.70 Matrix Width: 11.10		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	F3-350-PC-XX	350	E,L,LE,PXX
3.00	2.58	18.70	9.10			
FB3C-1000 <div style="text-align: center;">  1X </div>				Matrix Length: 28.00 Matrix Width: 4.90		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	FB3C-1000-PC-XX	1000	E,L,LE,PXX
3.00	1.64	26.29	3.80			




Strain Gauge - Full Bridge Diaphragm

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm</small>	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
FB3-500  1X				Matrix Length: 19.00 Matrix Width: 14.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	FB3-500-PC-XX	500	E,L,LE,PXX
3.00	3.48	17.00	12.50			
F4-350   1X 1.5X				Matrix Length: 10.00 Matrix Width: 11.50		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	F4-350-PC-XX	350	E,L,LE,PXX
4.20	1.80	8.60	10.50			
FB4-1000  1X				Matrix Length: 14.80 Matrix Width: 11.12		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	FB4-1000-PC-XX	1000	E,L,LE,PXX
4.00	4.25	13.56	10.50			
F5-2000  1X				Matrix Length: 16.75 Matrix Width: 12.58		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	F5-2000-PC-XX	2000	E,L,LE,PXX
4.92	4.92	15.55	12.12			

Strain Gauge - Full Bridge Diaphragm

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (0, 5, 9, 11, 17, 23) ppm</small>	RES.IN OHMS	ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
FSW3-1000  <div style="text-align: center;">1X</div>				Matrix Length: 14.50 Matrix Width: 25.25		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	FSW3-1000-PC-XX	1000	E,L,LE,PXX
6.20	1.78	11.62	23.45			
FB6-5000  <div style="text-align: center;">1X</div>				Matrix Length: 46.00 Matrix Width: 20.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	FB6-5000-PC-XX	5000	E,L,LE,PXX
6.50	7.21	44.00	18.09			
FB8-2500K  <div style="display: flex; justify-content: space-around; width: 100%;"> 1X 2X </div>				Matrix Length: 13.40 Matrix Width: 8.20		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	FB8-2500K-PC-XX	2500	E,L,LE,PXX
1.30	5.99	12.60	7.39			
FB10-350M  <div style="display: flex; justify-content: space-around; width: 100%;"> 1X 2X </div>				Matrix Length: 12.00 Matrix Width: 9.20		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	FB10-350M-PC-XX	350	E,L,LE,PXX
1.10	1.73	8.70	11.00			

Strain Gauge - Full Bridge Diaphragm

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. (9, 11, 16, 23, 27) ppm</small>	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE
Unit: millimeter						
FB11-500M <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X </div> <div style="text-align: center;">  2X </div> </div>				Matrix Length: 12.00 Matrix Width: 9.70		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	FB11-500M-PC-XX	500	E,L,LE,PXX
1.35	1.81	8.69	11.00			
FB36-350M <div style="text-align: center;">  1X </div>				Matrix Length: 36.00 Matrix Width: 10.16		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	FB36-350M-PC-XX	350	E,L,LE,PXX
1.70	1.53	3.40	8.78			