
















## Strain Gauge - Linear

<b>GAGE PATTERN</b> <small>Actual size shown. Enlarged when necessary for definition.</small>				<b>GAGE DESIGNATION</b> <small>Insert desired S-T-C number in spaces marked XX. ( 0, 5, 9, 11, 17, 23 ) ppm</small>	<b>RES.IN OHMS</b>	<b>ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE</b>
<small>Unit: millimeter</small>						
<b>L1M-120M</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  3X                 </div> </div>				Matrix Length: 4.40 Matrix Width: 2.40		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L1M-120M-PC-XX	120	E,L,LE,PXX
0.38	0.56	1.90	0.56			
<b>L1N-120K</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  2X                 </div> </div>				Matrix Length: 6.86 Matrix Width: 4.57		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L1N-120K-PC-XX	120	E,L,LE,PXX
0.79	1.50	4.57	3.05			
<b>L1N-350M</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  2X                 </div> </div>				Matrix Length: 6.86 Matrix Width: 4.57		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L1N-350M-PC-XX	350	E,L,LE,PXX
0.79	1.50	4.57	3.05			
<b>L1B-350K</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  5X                 </div> </div>				Matrix Length: 3.19 Matrix Width: 2.18		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L1B-350K-PC-XX	350	E,L,LE,PXX
0.75	1.18	2.19	1.18			









## Strain Gauge - Linear

<b>GAGE PATTERN</b> <small>Actual size shown. Enlarged when necessary for definition.</small>				<b>GAGE DESIGNATION</b> <small>Insert desired S-T-C number in spaces marked XX. ( 9, 11, 16, 23, 27 ) ppm</small>	<b>RES.IN OHMS</b>	<b>LEAD WIRES OPTIONS AVAILABLE</b>
<small>Unit: millimeter</small>						
<b>L1BL-350K</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">   <small>1X</small> </div> <div style="text-align: center;">   <small>5X</small> </div> </div>				Matrix Length: 2.29 Matrix Width: 2.94		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L1BL-350K-PC-XX	350	E,L,LE,PXX
0.75	0.96	1.29	1.94			
<b>L1BR-350K</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">   <small>1X</small> </div> <div style="text-align: center;">   <small>5X</small> </div> </div>				Matrix Length: 2.29 Matrix Width: 2.94		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L1BR-350K-PC-XX	350	E,L,LE,PXX
0.75	0.96	1.29	1.94			
<b>L1G-120M</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">   <small>1X</small> </div> <div style="text-align: center;">   <small>2X</small> </div> </div>				Matrix Length: 7.87 Matrix Width: 4.83		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L1G-120M-PC-XX	120	E,L,LE,PXX
1.52	3.05	5.59	3.05			
<b>L1G-350P</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">   <small>1X</small> </div> <div style="text-align: center;">   <small>2X</small> </div> </div>				Matrix Length: 7.87 Matrix Width: 4.83		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L1G-350P-PC-XX	350	E,L,LE,PXX
1.52	3.05	5.59	3.05			









## Strain Gauge - Linear

<b>GAGE PATTERN</b> <small>Actual size shown. Enlarged when necessary for definition.</small>				<b>GAGE DESIGNATION</b> <small>Insert desired S-T-C number in spaces marked XX. ( 0, 5, 9, 11, 17, 23 ) ppm</small>	<b>RES.IN OHMS</b>	<b>ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE</b>
<small>Unit: millimeter</small>						
<b>L1D-350K</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  5X                 </div> </div>				Matrix Length: 1.90 Matrix Width: 7.40		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L1D-350K-PC-XX	350	E,L,LE,PXX
0.74	4.03	1.10	6.63			
<b>L1E-350K</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  5X                 </div> </div>				Matrix Length: 1.90 Matrix Width: 6.50		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L1E-350K-PC-XX	350	E,L,LE,PXX
0.74	4.03	1.10	5.90			
<b>L1HW-120</b>  <div style="text-align: center;">  1X                 </div>				Matrix Length: 10.00 Matrix Width: 41.40		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L1HW-120-PC-XX	120	E,L,LE,PXX
1.00	0.20	8.00	39.40			
<b>L1-350</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  4X                 </div> </div>				Matrix Length: 4.00 Matrix Width: 3.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L1-350-PC-XX	350	E,L,LE,PXX
1.00	1.76	2.59	1.76			









## Strain Gauge - Linear

<b>GAGE PATTERN</b> <small>Actual size shown. Enlarged when necessary for definition.</small>				<b>GAGE DESIGNATION</b> <small>Insert desired S-T-C number in spaces marked XX. ( 9, 11, 16, 23, 27 ) ppm</small>	<b>RES.IN OHMS</b>	<b>LEAD WIRES OPTIONS AVAILABLE</b>
Unit: millimeter						
<b>L1L-350U</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  3X                 </div> </div>				Matrix Length: 5.00 Matrix Width: 4.00		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1L-350U-PC-XX	350	E,L,LE,PXX
1.00	1.76	3.71	2.42			
<b>L1C-350K</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  4X                 </div> </div>				Matrix Length: 4.05 Matrix Width: 2.79		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1C-350K-PC-XX	350	E,L,LE,PXX
1.28	1.79	3.05	1.79			
<b>L1CL-350K</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  4X                 </div> </div>				Matrix Length: 3.00 Matrix Width: 3.94		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1CL-350K-PC-XX	350	E,L,LE,PXX
1.28	1.74	2.04	2.94			
<b>L1CR-350K</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  4X                 </div> </div>				Matrix Length: 3.00 Matrix Width: 3.94		
GAGE LENGTH	GRID WIDTH	OVERALL LENGTH	OVERALL WIDTH	L1CR-350K-PC-XX	350	E,L,LE,PXX
1.28	1.74	2.04	2.94			








## Strain Gauge - Linear

<b>GAGE PATTERN</b> Actual size shown. Enlarged when necessary for definition.				<b>GAGE DESIGNATION</b> Insert desired S-T-C number in spaces marked XX. ( 0, 5, 9, 11, 17, 23 ) ppm	<b>RES.IN OHMS</b>	<b>ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE</b>
Unit: millimeter						
<b>L1B-1000M</b>   1X  5X				Matrix Length: 3.20 Matrix Width: 3.50		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L1B-1000M-PC-XX	1000	E,L,LE,PXX
1.30	3.10	2.87	3.10			
<b>LH16-2500G</b>   1X  2X				Matrix Length: 8.80 Matrix Width: 7.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	LH16-2500G-PC-XX	2500	E,L,LE,PXX
1.40	1.60	7.79	6.00			
<b>LA1-120</b>   1X  2X				Matrix Length: 10.00 Matrix Width: 5.78		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	LA1-120-PC-XX	120	E,L,LE,PXX
1.54	1.78	9.00	4.78			
<b>L1-120-ST</b>   1X  2X				Matrix Length: 6.97 Matrix Width: 5.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L1-120-ST-PC-XX	120	E,L,LE,PXX
1.50	3.51	5.47	3.51			









## Strain Gauge - Linear

<b>GAGE PATTERN</b> <small>Actual size shown. Enlarged when necessary for definition.</small>				<b>GAGE DESIGNATION</b> <small>Insert desired S-T-C number in spaces marked XX. ( 9, 11, 16, 23, 27 ) ppm</small>	<b>RES.IN OHMS</b>	<b>LEAD WIRES OPTIONS AVAILABLE</b>
<small>Unit: millimeter</small>						
<b>LH1-350</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  2X                 </div> </div>				Matrix Length: 9.20 Matrix Width: 4.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	LH1-350-PC-XX	350	E,L,LE,PXX
1.50	2.50	7.19	2.50			
<b>L1-1000</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  3X                 </div> </div>				Matrix Length: 5.12 Matrix Width: 7.67		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L1-1000-PC-XX	1000	E,L,LE,PXX
1.50	6.07	3.98	6.07			
<b>L1A-1000</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  3X                 </div> </div>				Matrix Length: 5.60 Matrix Width: 4.10		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L1A-1000-PC-XX	1000	E,L,LE,PXX
1.52	2.86	3.80	2.86			
<b>LH1-1000Q</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  2X                 </div> </div>				Matrix Length: 9.20 Matrix Width: 6.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	LH1-1000Q-PC-XX	1000	E,L,LE,PXX
1.50	4.78	7.46	4.78			

## Strain Gauge - Linear








<b>GAGE PATTERN</b> <small>Actual size shown. Enlarged when necessary for definition.</small>				<b>GAGE DESIGNATION</b> <small>Insert desired S-T-C number in spaces marked XX. ( 0, 5, 9, 11, 17, 23 ) ppm</small>	<b>RES.IN OHMS</b>	<b>ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE</b>
<small>Unit: millimeter</small>						
<b>L1T-350</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  3X                 </div> </div>				Matrix Length: 5.70 Matrix Width: 7.80		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L1T-350-PC-XX	350	E,L,LE,PXX
1.60	1.55	1.78	4.80			
<b>L2-350</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  3X                 </div> </div>				Matrix Length: 5.71 Matrix Width: 6.20		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L2-350-PC-XX	350	E,L,LE,PXX
1.50	4.60	4.11	4.60			
<b>LH2-350</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  1.5X                 </div> </div>				Matrix Length: 14.30 Matrix Width: 4.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	LH2-350-PC-XX	350	E,L,LE,PXX
1.50	2.50	12.39	2.50			
<b>LH2E-350N</b>  <div style="text-align: center;">  1X                 </div>				Matrix Length: 20.50 Matrix Width: 5.20		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	LH2E-350N-PC-XX	350	E,L,LE,PXX
1.50	4.30	19.10	4.30			

## Strain Gauge - Linear








<b>GAGE PATTERN</b> <small>Actual size shown. Enlarged when necessary for definition.</small>				<b>GAGE DESIGNATION</b> <small>Insert desired S-T-C number in spaces marked XX. ( 9, 11, 16, 23, 27 ) ppm</small>	<b>RES.IN OHMS</b>	<b>LEAD WIRES OPTIONS AVAILABLE</b>
Unit: millimeter						
<b>L2C-350K</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  3X                 </div> </div>				Matrix Length: 6.35 Matrix Width: 6.35		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L2C-350K-PC-XX	350	E,L,LE,PXX
1.52	4.57	4.55	4.57			
<b>L2E-350P</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  4X                 </div> </div>				Matrix Length: 4.57 Matrix Width: 4.06		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L2E-350P-PC-XX	350	E,L,LE,PXX
1.52	2.27	3.11	2.27			
<b>L2D-350M</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  2X                 </div> </div>				Matrix Length: 7.10 Matrix Width: 6.60		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L2D-350M-PC-XX	350	E,L,LE,PXX
1.88	4.81	5.10	4.81			
<b>L2-120</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  4X                 </div> </div>				Matrix Length: 4.96 Matrix Width: 2.74		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L2-120-PC-XX	120	E,L,LE,PXX
2.00	1.14	3.36	1.14			











## Strain Gauge - Linear

<b>GAGE PATTERN</b> <small>Actual size shown. Enlarged when necessary for definition.</small>				<b>GAGE DESIGNATION</b> <small>Insert desired S-T-C number in spaces marked XX. ( 0, 5, 9, 11, 17, 23 ) ppm</small>	<b>RES.IN OHMS</b>	<b>ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE</b>
<small>Unit: millimeter</small>						
<b>L2B-350</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  3X                 </div> </div>				Matrix Length: 6.50 Matrix Width: 3.50		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L2B-350-PC-XX	350	E,L,LE,PXX
2.00	1.90	4.90	1.90			
<b>L2S-350</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  3X                 </div> </div>				Matrix Length: 6.90 Matrix Width: 3.30		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L2S-350-PC-XX	350	E,L,LE,PXX
2.00	2.20	4.75	2.20			
<b>LH2B-350M</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  1.5X                 </div> </div>				Matrix Length: 11.43 Matrix Width: 5.33		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	LH2B-350M-PC-XX	350	E,L,LE,PXX
2.00	4.03	9.56	4.57			
<b>LH2D-350N</b>  <div style="text-align: center;">  1X                 </div>				Matrix Length: 23.00 Matrix Width: 5.20		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	LH2D-350N-PC-XX	350	E,L,LE,PXX
2.00	4.30	21.69	4.30			









## Strain Gauge - Linear

<b>GAGE PATTERN</b> <small>Actual size shown. Enlarged when necessary for definition.</small>				<b>GAGE DESIGNATION</b> <small>Insert desired S-T-C number in spaces marked XX. ( 9, 11, 16, 23, 27 ) ppm</small>	<b>RES.IN OHMS</b>	<b>LEAD WIRES OPTIONS AVAILABLE</b>
Unit: millimeter						
<b>LH2C-350N</b>  <div style="text-align: center;">             1X         </div>				Matrix Length: 15.50 Matrix Width: 5.84		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	LH2C-350N-PC-XX	350	E,L,LE,PXX
2.13	3.81	13.71	3.81			
<b>L3I-350I</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">             1X         </div> <div style="text-align: center;">             3X         </div> </div>				Matrix Length: 5.51 Matrix Width: 4.09		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L3I-350I-PC-XX	350	E,L,LE,PXX
2.76	3.16	4.61	3.16			
<b>L3-1000</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">             1X         </div> <div style="text-align: center;">             3X         </div> </div>				Matrix Length: 5.80 Matrix Width: 4.80		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L3-1000-PC-XX	1000	E,L,LE,PXX
2.80	3.80	4.80	3.80			
<b>L3B-1000M</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">             1X         </div> <div style="text-align: center;">             3X         </div> </div>				Matrix Length: 6.00 Matrix Width: 4.80		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L3B-1000M-PC-XX	1000	E,L,LE,PXX
2.80	3.18	5.02	3.18			





## Strain Gauge - Linear

<b>GAGE PATTERN</b> <small>Actual size shown. Enlarged when necessary for definition.</small>				<b>GAGE DESIGNATION</b> <small>Insert desired S-T-C number in spaces marked XX. ( 0, 5, 9, 11, 17, 23 ) ppm</small>	<b>RES.IN OHMS</b>	<b>ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE</b>
<small>Unit: millimeter</small>						
<b>L3-120-ST</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  2X                 </div> </div>				Matrix Length: 8.74 Matrix Width: 5.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L3-120-ST-PC-XX	120	E,L,LE,PXX
3.00	3.50	7.24	3.50			
<b>L3S-120</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  3X                 </div> </div>				Matrix Length: 6.63 Matrix Width: 3.29		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L3S-120-PC-XX	120	E,L,LE,PXX
3.00	1.69	5.03	1.69			
<b>L3-350</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  2X                 </div> </div>				Matrix Length: 7.00 Matrix Width: 4.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L3-350-PC-XX	350	E,L,LE,PXX
3.20	2.52	5.60	2.52			
<b>L3B-350</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  2X                 </div> </div>				Matrix Length: 8.50 Matrix Width: 5.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L3B-350-PC-XX	350	E,L,LE,PXX
3.00	3.19	6.54	3.19			









## Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. ( 9, 11, 16, 23, 27 ) ppm</small>	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
<b>L3D-350</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  2X                 </div> </div>				Matrix Length: 5.54 Matrix Width: 8.80		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L3D-350-PC-XX	350	E,L,LE,PXX
3.00	3.11	3.54	7.11			
<b>L3E-350</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  2X                 </div> </div>				Matrix Length: 8.80 Matrix Width: 5.54		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L3E-350-PC-XX	350	E,L,LE,PXX
3.00	3.11	7.54	3.11			
<b>L3S-350</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  3X                 </div> </div>				Matrix Length: 6.63 Matrix Width: 3.30		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L3S-350-PC-XX	350	E,L,LE,PXX
3.00	1.70	5.03	1.70			
<b>L3SWB-350</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  2X                 </div> </div>				Matrix Length: 9.53 Matrix Width: 6.20		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L3SWB-350-PC-XX	350	E,L,LE,PXX
3.00	1.70	5.03	1.70			









## Strain Gauge - Linear

<b>GAGE PATTERN</b> <small>Actual size shown. Enlarged when necessary for definition.</small>				<b>GAGE DESIGNATION</b> <small>Insert desired S-T-C number in spaces marked XX. ( 0, 5, 9, 11, 17, 23 ) ppm</small>	<b>RES.IN OHMS</b>	<b>ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE</b>
<small>Unit: millimeter</small>						
<b>LP3-5-350</b>   1X				Matrix Length: 22.60 Matrix Width: 7.10		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	LP3-5-350-PC-XX	350	E,L,LE,PXX
3.00	3.11	20.74	5.11			
<b>LT3-5-350</b>   1X				Matrix Length: 7.30 Matrix Width: 19.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	LT3-5-350-PC-XX	350	E,L,LE,PXX
3.00	3.12	5.34	17.19			
<b>LH3-350K</b>   1X				Matrix Length: 20.00 Matrix Width: 4.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	LH3-350K-PC-XX	350	E,L,LE,PXX
3.00	2.51	18.49	2.51			
<b>L3CT-10-120</b>   1X				Matrix Length: 42.50 Matrix Width: 11.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L3CT-10-120-PC-XX	120	E,L,LE,PXX
3.10	2.65	40.34	8.65			









## Strain Gauge - Linear

GAGE PATTERN <small>Actual size shown. Enlarged when necessary for definition.</small>				GAGE DESIGNATION <small>Insert desired S-T-C number in spaces marked XX. ( 9, 11, 16, 23, 27 ) ppm</small>	RES.IN OHMS	LEAD WIRES OPTIONS AVAILABLE
<small>Unit: millimeter</small>						
<b>L3T-120</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  2X                 </div> </div>				Matrix Length: 10.60 Matrix Width: 6.80		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L3T-120-PC-XX	120	E,L,LE,PXX
3.20	4.49	8.38	4.49			
<b>L3R-120K</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  2X                 </div> </div>				Matrix Length: 9.65 Matrix Width: 4.57		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L3R-120K-PC-XX	120	E,L,LE,PXX
3.30	2.54	7.11	3.05			
<b>L3R-350N</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  2X                 </div> </div>				Matrix Length: 9.65 Matrix Width: 4.57		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L3R-350N-PC-XX	350	E,L,LE,PXX
3.30	2.54	7.11	3.05			
<b>L3X-120K</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  2X                 </div> </div>				Matrix Length: 10.60 Matrix Width: 6.80		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L3X-120K-PC-XX	120	E,L,LE,PXX
3.20	4.50	8.30	4.50			

## Strain Gauge - Linear









<b>GAGE PATTERN</b> <small>Actual size shown. Enlarged when necessary for definition.</small>				<b>GAGE DESIGNATION</b> <small>Insert desired S-T-C number in spaces marked XX. ( 0, 5, 9, 11, 17, 23 ) ppm</small>	<b>RES.IN OHMS</b>	<b>ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE</b>
<small>Unit: millimeter</small>						
<b>L3X-350N</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  2X                 </div> </div>				Matrix Length: 10.60 Matrix Width: 6.80		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L3X-350N-PC-XX	350	E,L,LE,PXX
3.20	4.50	8.30	4.50			
<b>L3F-350M</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  2X                 </div> </div>				Matrix Length: 7.50 Matrix Width: 4.60		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L3F-350M-PC-XX	350	E,L,LE,PXX
3.20	3.19	6.00	3.19			
<b>L3L-350K</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  2X                 </div> </div>				Matrix Length: 8.85 Matrix Width: 7.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L3L-350K-PC-XX	350	E,L,LE,PXX
3.18	5.08	6.85	5.08			
<b>L3N-350</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  3X                 </div> </div>				Matrix Length: 7.00 Matrix Width: 4.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L3N-350-PC-XX	350	E,L,LE,PXX
3.20	2.52	5.60	2.52			

## Strain Gauge - Linear









<b>GAGE PATTERN</b> <small>Actual size shown. Enlarged when necessary for definition.</small>				<b>GAGE DESIGNATION</b> <small>Insert desired S-T-C number in spaces marked XX. ( 9, 11, 16, 23, 27 ) ppm</small>	<b>RES.IN OHMS</b>	<b>LEAD WIRES OPTIONS AVAILABLE</b>
<small>Unit: millimeter</small>						
<b>L3T-350</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  2X                 </div> </div>				Matrix Length: 10.60 Matrix Width: 6.80		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L3T-350-PC-XX	350	E,L,LE,PXX
3.20	4.49	8.00	4.49			
<b>LH3F-350M</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  1.5X                 </div> </div>				Matrix Length: 15.46 Matrix Width: 4.80		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	LH3F-350M-PC-XX	350	E,L,LE,PXX
3.20	3.19	13.87	3.19			
<b>L4H-350K</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  3X                 </div> </div>				Matrix Length: 7.66 Matrix Width: 4.20		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L4H-350K-PC-XX	350	E,L,LE,PXX
1.40	2.51	5.96	2.51			
<b>L4-120</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  2X                 </div> </div>				Matrix Length: 7.93 Matrix Width: 7.10		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L4-120-PC-XX	120	E,L,LE,PXX
3.80	5.68	6.53	5.68			











## Strain Gauge - Linear

<b>GAGE PATTERN</b> <small>Actual size shown. Enlarged when necessary for definition.</small>				<b>GAGE DESIGNATION</b> Insert desired S-T-C number in spaces marked XX. ( 0, 5, 9, 11, 17, 23 ) ppm	<b>RES.IN OHMS</b>	<b>ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE</b>
Unit: millimeter						
<b>L4-350K</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                             </div> <div style="text-align: center;">  3X                             </div> </div>				Matrix Length: 7.40 Matrix Width: 4.10		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L4-350K-PC-XX	350	E,L,LE,PXX
3.80	1.70	6.20	3.10			
<b>L4-60</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                             </div> <div style="text-align: center;">  3X                             </div> </div>				Matrix Length: 7.30 Matrix Width: 3.49		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L4-60-PC-XX	60	E,L,LE,PXX
4.00	2.49	6.30	2.49			
<b>L4B-120</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                             </div> <div style="text-align: center;">  3X                             </div> </div>				Matrix Length: 6.23 Matrix Width: 0.75		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L4B-120-PC-XX	120	E,L,LE,PXX
4.00	0.59	5.63	0.75			
<b>L5L-120I</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                             </div> <div style="text-align: center;">  3X                             </div> </div>				Matrix Length: 9.78 Matrix Width: 5.19		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L5L-120I-PC-XX	120	E,L,LE,PXX
4.25	3.19	7.78	3.19			









## Strain Gauge - Linear

<b>GAGE PATTERN</b> <small>Actual size shown. Enlarged when necessary for definition.</small>				<b>GAGE DESIGNATION</b> <small>Insert desired S-T-C number in spaces marked XX. ( 9, 11, 16, 23, 27 ) ppm</small>	<b>RES.IN OHMS</b>	<b>LEAD WIRES OPTIONS AVAILABLE</b>
Unit: millimeter						
<b>L5-120</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  1.5X                 </div> </div>				Matrix Length: 12.90 Matrix Width: 6.90		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L5-120-PC-XX	120	E,L,LE,PXX
5.00	4.21	9.46	4.21			
<b>L5L-350J</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  2X                 </div> </div>				Matrix Length: 9.78 Matrix Width: 5.19		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L5L-350J-PC-XX	350	E,L,LE,PXX
4.50	3.18	7.78	3.18			
<b>L5-350</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  1.5X                 </div> </div>				Matrix Length: 12.90 Matrix Width: 6.90		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L5-350-PC-XX	350	E,L,LE,PXX
5.00	4.20	9.20	5.00			
<b>L5S-350</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  2X                 </div> </div>				Matrix Length: 10.30 Matrix Width: 3.80		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L5S-350-PC-XX	350	E,L,LE,PXX
5.00	2.70	7.81	2.70			









## Strain Gauge - Linear

<b>GAGE PATTERN</b> <small>Actual size shown. Enlarged when necessary for definition.</small>				<b>GAGE DESIGNATION</b> <small>Insert desired S-T-C number in spaces marked XX. ( 0, 5, 9, 11, 17, 23 ) ppm</small>	<b>RES.IN OHMS</b>	<b>ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE</b>
<small>Unit: millimeter</small>						
<b>L5B-120K</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  1.5X                 </div> </div>				Matrix Length: 12.20 Matrix Width: 6.80		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L5B-120K-PC-XX	120	E,L,LE,PXX
4.80	4.60	9.70	4.60			
<b>L5B-350M</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  1.5X                 </div> </div>				Matrix Length: 12.20 Matrix Width: 6.80		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L5B-350M-PC-XX	350	E,L,LE,PXX
4.80	4.60	9.70	4.60			
<b>L6-120-ST</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  1.5X                 </div> </div>				Matrix Length: 12.08 Matrix Width: 5.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L6-120-ST-PC-XX	120	E,L,LE,PXX
6.00	3.49	10.58	3.49			
<b>L6-350</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  1.5X                 </div> </div>				Matrix Length: 14.40 Matrix Width: 9.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L6-350-PC-XX	350	E,L,LE,PXX
6.30	6.30	10.50	6.30			






## Strain Gauge - Linear

<b>GAGE PATTERN</b>				<b>GAGE DESIGNATION</b>	<b>RES.IN OHMS</b>	<b>LEAD WIRES OPTIONS AVAILABLE</b>
Actual size shown. Enlarged when necessary for definition.				Insert desired S-T-C number in spaces marked XX. ( 9, 11, 16, 23, 27 ) ppm		
Unit: millimeter						
<b>L6C-120K</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  1.5X                 </div> </div>				Matrix Length: 13.97 Matrix Width: 6.86		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L6C-120K-PC-XX	120	E,L,LE,PXX
6.35	4.57	11.18	4.57			
<b>L6C-350M</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  1.5X                 </div> </div>				Matrix Length: 13.97 Matrix Width: 6.86		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L6C-350M-PC-XX	350	E,L,LE,PXX
6.35	4.57	11.18	4.57			
<b>L6C-1000P</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  1.5X                 </div> </div>				Matrix Length: 13.97 Matrix Width: 6.86		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L6C-1000P-PC-XX	1000	E,L,LE,PXX
6.35	4.57	11.18	4.57			
<b>L6D-120M</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  1.5X                 </div> </div>				Matrix Length: 11.94 Matrix Width: 5.08		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L6D-120M-PC-XX	120	E,L,LE,PXX
6.35	3.05	10.41	3.05			





## Strain Gauge - Linear

<b>GAGE PATTERN</b> <small>Actual size shown. Enlarged when necessary for definition.</small>				<b>GAGE DESIGNATION</b> <small>Insert desired S-T-C number in spaces marked XX. ( 0, 5, 9, 11, 17, 23 ) ppm</small>	<b>RES.IN OHMS</b>	<b>ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE</b>
<small>Unit: millimeter</small>						
<b>L6D-350P</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  1.5X                 </div> </div>				Matrix Length: 11.94 Matrix Width: 5.08		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L6D-350P-PC-XX	350	E,L,LE,PXX
6.35	3.05	10.41	3.05			
<b>L7-120</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  1.5X                 </div> </div>				Matrix Length: 11.40 Matrix Width: 5.13		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L7-120-PC-XX	120	E,L,LE,PXX
6.50	3.13	9.40	3.13			
<b>L7-350</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  1.5X                 </div> </div>				Matrix Length: 11.40 Matrix Width: 5.13		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L7-350-PC-XX	350	E,L,LE,PXX
6.50	3.13	9.40	3.13			
<b>L7-1000</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  1.5X                 </div> </div>				Matrix Length: 11.82 Matrix Width: 5.60		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L7-1000-PC-XX	1000	E,L,LE,PXX
7.00	3.60	9.82	3.60			



## Strain Gauge - Linear

<b>GAGE PATTERN</b> <small>Actual size shown. Enlarged when necessary for definition.</small>				<b>GAGE DESIGNATION</b> <small>Insert desired S-T-C number in spaces marked XX. ( 9, 11, 16, 23, 27 ) ppm</small>	<b>RES.IN OHMS</b>	<b>LEAD WIRES OPTIONS AVAILABLE</b>
Unit: millimeter						
<b>L8-120</b>  <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  1X                 </div> <div style="text-align: center;">  1.5X                 </div> </div>				Matrix Length: 14.24 Matrix Width: 6.42		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L8-120-PC-XX	120	E,L,LE,PXX
8.13	3.92	11.74	3.92			
<b>L10-120</b>  <div style="text-align: center;">  1X                 </div>				Matrix Length: 17.70 Matrix Width: 8.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L10-120-PC-XX	120	E,L,LE,PXX
10.00	4.90	14.90	4.92			
<b>L10-350</b>  <div style="text-align: center;">  1X                 </div>				Matrix Length: 17.70 Matrix Width: 8.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L10-350-PC-XX	350	E,L,LE,PXX
10.00	4.90	14.90	4.92			
<b>L10B-350P</b>  <div style="text-align: center;">  1X                 </div>				Matrix Length: 17.00 Matrix Width: 7.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L10B-350P-PC-XX	350	E,L,LE,PXX
9.50	4.60	14.50	4.60			

## Strain Gauge - Linear

<b>GAGE PATTERN</b>				<b>GAGE DESIGNATION</b> Insert desired S-T-C number in spaces marked XX. ( 0, 5, 9, 11, 17, 23 ) ppm	<b>RES.IN OHMS</b>	<b>ENCAPSULATION and LEAD WIRES OPTIONS AVAILABLE</b>
Actual size shown. Enlarged when necessary for definition.						
Unit: millimeter						
<b>L10-1000</b>   1X				Matrix Length: 17.70 Matrix Width: 8.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L10-1000-PC-XX	1000	E,L,LE,PXX
10.00	4.90	14.60	4.90			
<b>L13B-120M</b>   1X				Matrix Length: 20.27 Matrix Width: 6.91		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L13B-120M-PC-XX	120	E,L,LE,PXX
12.70	4.52	17.78	4.52			
<b>L13-350K</b>   1X				Matrix Length: 22.70 Matrix Width: 10.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L13-350K-PC-XX	350	E,L,LE,PXX
13.00	7.20	20.05	7.20			
<b>L13B-350P</b>   1X				Matrix Length: 20.27 Matrix Width: 6.91		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L13B-350P-PC-XX	350	E,L,LE,PXX
12.70	4.52	17.78	4.52			

## Strain Gauge - Linear

<b>GAGE PATTERN</b> <small>Actual size shown. Enlarged when necessary for definition.</small>				<b>GAGE DESIGNATION</b> <small>Insert desired S-T-C number in spaces marked XX. ( 9, 11, 16, 23, 27 ) ppm</small>	<b>RES.IN OHMS</b>	<b>LEAD WIRES OPTIONS AVAILABLE</b>
Unit: millimeter						
<b>L30-350</b>  <div style="text-align: center;">             1X         </div>				Matrix Length: 35.9 Matrix Width: 5.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L30-350-PC-XX	350	E,L,LE,PXX
30.00	3.00	33.90	3.00			
<b>L50-120</b>  <div style="text-align: center;">             1X         </div>				Matrix Length: 60.00 Matrix Width: 6.00		
<b>GAGE LENGTH</b>	<b>GRID WIDTH</b>	<b>OVERALL LENGTH</b>	<b>OVERALL WIDTH</b>	L50-120-PC-XX	120	E,L,LE,PXX
50.00	4.30	56.10	4.30			